Faversham Neighbourhood Planning Site Assessment

Site Details

Detail	Assessment
Site Reference / Name	
[Insert site plan showing boundary of site]	[Insert site photo]
Site Address / Location	
Gross Site Area (Hectares)	
SHLAA/SHELAA Reference (if applicable)	
Existing land use	
Land use being considered, if known (e.g. housing, community use, commercial, mixed use)	
Landowner estimate of development capacity (if known)	
Site identification method / source (e.g. SHELAA, Call for Sites consultation, identified by neighbourhood planning group)	
Planning history (Live or previous planning applications/decisions)	
Neighbouring uses	



Faversham Neighbourhood Plan



Assessment of Suitability

Environmental Constraints

Indicator of Suitability	Assessment
Site is predominantly, or wholly, within or adjacent to the following statutory environmental designations:	
Ancient Woodland Area of Outstanding Natural Beauty (AONB) Biosphere Reserve Local Nature Reserve (LNR) National Nature Reserve (NNR) National Park Ramsar Site Site of Special Scientific Interest (SSSI) Special Area of Conservation (SAC) Special Protection Area (SPA)	
Yes/ No/ Unknown	
Does the site fall within a SSSI Impact Risk Zone and would the proposed use/development trigger the requirement to consult Natural England?	
Yes/ No/ Unknown	



Faversham Neighbourhood Plan



Indicator of Suitability	Assessment
Site is predominantly, or wholly, within or adjacent to the following non statutory environmental designations:	
Green Infrastructure Corridor Local Wildlife Site (LWS) Public Open Space Site of Importance for Nature Conservation (SINC) Nature Improvement Area Regionally Important Geological Site Other	
Yes/ No/ Unknown	
Site is predominantly, or wholly, within Flood Zones 2 or 3?	
See guidance notes: Flood Zone 1: Low Risk Flood Zone 2: Medium Risk Flood Zone 3 (less or more vulnerable site use): Medium Risk Flood Zone 3 (highly vulnerable site use): High Risk	
Site is at risk of surface water flooding?	
See guidance notes: Less than 15% of the site is affected by medium or high risk of surface water flooding – Low Risk >15% of the site is affected by medium or high risk of surface water flooding – Medium Risk	
Is the land classified as the best and most versatile agricultural land (Grades 1, 2 or 3a) Yes / No / Unknown	





Indicator of Suitability	Assessment
Site contains habitats with the potential to support priority species?	
Does the site contain local wildlife-rich habitats?	
Is the site part of: A wider ecological network (including the hierarchy of international, national and locally designated sites of importance for biodiversity); wildlife corridors (and stepping stones that connect them); and/or An area identified by national and local partnerships for habitat management, enhancement, restoration or creation? Yes / No / Unknown	
Site is predominantly, or wholly, within or adjacent to an Air Quality Management Area (AQMA)? Yes / No / Unknown	





Physical Constraints

Indicator of Suitability	Assessment
Is the site:	
Flat or relatively flat	
Gently sloping or uneven	
Steeply sloping	
Is there existing vehicle access, or	
potential to create vehicle access to the	
site?	
Yes / No / Unknown	
Is there existing pedestrian/cycle	
access, or potential to create	
pedestrian/cycle access to the site?	
Dedectrice 2	
Pedestrian? Yes / No / Unknown	
res / NO / Unknown	
Cycle?	
Yes / No / Unknown	
Are there any known Tree Preservation	
Orders on the site?	
Yes / No / Unknown	
Are there veteran/ancient or other	
significant trees within or adjacent to	
the site? Are they owned by third	
parties?	
Significant trees?	
Yes, within / Yes, adjacent / No /	
Unknown	
Potentially veteran or ancient trees	
present?	
Yes, within / Yes, adjacent / No /	
Unknown	
Owned by third parties?	
Yes / No / Unknown	
Are there any Public Rights of Way	
(PRoW) crossing the site?	
Yes / No / Unknown	



Faversham Neighbourhood Plan



Indicator of Suitability	Assessment
Is the site likely to be affected by ground contamination?	
Yes / No / Unknown	
Is there any utilities infrastructure crossing the site i.e. power lines/pipe	
lines, or is the site in close proximity to	
hazardous installations? Yes / No / Unknown	
Would development of the site result in	
a loss of social, amenity or community	
value? Yes / No / Unknown	





Accessibility

Factor	Guidance	
Distances to community facilities and services should be measured using walking routes from the centre of each site to each facility. Additional facilities can be added to the list. The distances are based on the assumption that 400m is equal to approximately 5 minutes' walk. This can be measured using <u>Google Maps</u> :		
What is the distance to the following facilities (measured from the edge of the site)	Distance (metres)	Comments
Town / local centre / shop	<400m 400-1200m >1200m	
Bus /Tram Stop	<400m 400-800m >800m	
Train station	<400m 400-1200m >1200m	
Primary School	<400m 400-1200m >1200m	
Secondary School	<1600m 1600-3900m >3900m	
Open Space / recreation facilities	<400m 400-800m >800m	
Cycle Route	<400m 400-800m >800m	



Faversham Neighbourhood Plan



Landscape and Visual Constraints

This section should be answered based on existing evidence (see guidance notes) or by a qualified landscape consultant.

Indicator of Suitability	Assessment
Is the site low, medium or high sensitivity in terms of landscape? Low sensitivity: the site has few or no valued features, and/or valued features	
that are less susceptible to development and can accommodate change. Medium sensitivity: the site has many	
valued features, and/or valued features that are susceptible to development but could potentially accommodate some change with appropriate mitigation. High sensitivity: the site has highly	
valued features, and/or valued features that are highly susceptible to development. The site can accommodate minimal change.	
Is the site low, medium or high sensitivity in terms of visual amenity?	
Low sensitivity: the site is visually enclosed and has low intervisibility with the surrounding landscape, and/or it would not adversely impact any identified views.	
Medium sensitivity: the site is somewhat enclosed and has some intervisibility with the surrounding landscape, and/or it may adversely impact any identified views.	
High sensitivity: the site is visually open and has high intervisibility with the surrounding landscape, and/or it would adversely impact any recognised views.	



Faversham Neighbourhood Plan



Heritage Constraints

Indicator of Suitability	Assessment
Would the development of the site cause harm to a designated heritage asset or its setting?	
Directly impact and/or mitigation not possible	
Some impact, and/or mitigation possible	
Limited or no impact or no requirement for mitigation	
Would the development of the site cause harm to a non-designated heritage asset or its setting?	
Directly impact and/or mitigation not possible	
Some impact, and/or mitigation possible	
Limited or no impact or no requirement for mitigation	



Faversham Neighbourhood Plan



Planning policy constraints

Indicator of Suitability	Assessment
Is the site in the Green Belt?	
Yes / No / Unknown	
Is the site allocated for a particular	
use (e.g. housing / employment) or	
designated as open space in the	
adopted and / or emerging Local	
Plan? Yes / No / Unknown	
Are there any other relevant	
planning policies relating to the site?	
Is the site:	
Greenfield	
A mix of greenfield and previously	
developed land	
Previously developed land?	
Is the site within, adjacent to or	
outside the existing built up area?	
Within the existing built up area	
(infill)?	
Adjacent to and connected to the	
existing built up area?	
Outside and not connected to the	
existing built up area?	
Is the site within, adjacent to or	
outside the existing settlement	
boundary (if one exists)?	
Within the existing settlement	
boundary?	
Adjacent to and connected to the	
existing settlement boundary?	
Outside and not connected to the	
existing settlement boundary?	
Would development of the site result	
in neighbouring settlements merging	
into one another?	
Yes / No / Unknown	



Faversham Neighbourhood Plan



Indicator of Suitability	Assessment
Is the size of the site large enough to significantly change the size and character of the existing settlement? Yes / No / Unknown	





Assessment of Availability

Indicator of Availability	Assessment
Is the site available for	
development?	
Yes / <mark>No</mark> / Unknown.	
Are there any known legal or	
ownership problems such as	
unresolved multiple ownerships,	
ransom strips, tenancies, or	
operational requirements of	
landowners?	
Yes / No / Unknown.	
Is there a known time frame for	
availability?	
Available now / 0-5 years / 6-10	
years / 11-15 years.	

Viability

Indicators of Viability	Assessment
Is the site subject to any abnormal costs that could affect viability, such as demolition, land remediation or relocating utilities? Yes / No / Unknown.	
What evidence is available to support this judgement?	



Faversham Neighbourhood Plan



Conclusions

Conclusions	Assessment
Summary of key development constraints affecting the site	
What is the estimated development capacity of the site?	
What is the likely timeframe for development? (0-5 / 6-10 / 11-15 / 15+ years)	
Other key information	
Overall rating (Red/Amber/Green)	
The site is suitable, available and achievable The site is potentially suitable, available and achievable The site is not currently suitable, available and achievable	
Summary of justification for rating	



Faversham Neighbourhood Plan

