

DIRECT WATER TANKS TANNER SPARE. CO. UK.

Working
OUTS

Best Overall Design

For a versatile and efficient setup:

1000 L IBC tank on a sturdy stand (raising it 300–600 mm helps maintain a flooded suction) £50 - £150

2" IBC outlet with adapter £14.

2" reinforced suction hose with a strainer/foot valve £189.21 - £23.40

2" petrol centrifugal water pump (6.5–7 HP) SIF 2" £247.82 SEEWP050

Pressure hose to a manifold with ball valves MONON £939.00

120-mesh filter if using drip irrigation

Quick-connect Camlock fittings throughout for easy assembly and maintenance £20 x 3 = £60

25–32 mm poly mainline feeding sprinklers, hoses, or drip zones as needed

This design offers strong flow for sprinklers and hose use while remaining adaptable for future expansion into drip irrigation. If your IBC is elevated slightly above the pump inlet, the pump will also prime more easily and experience less strain.

High END

£2,908.21 - £3000

Low END

£2,067.29 - £2,500



1000 L IBC TANK

IBC TANK OUTLET ASSEMBLY

- 1 IBC S60x6 Outlet (Factory)
- 2 S60x6 to 2" BSP Adapter
- 3 2" Full Port Ball Valve
- 4 2" BSP to 2" Hose Tail (or Camlock Type C)

IBC STAND

Raise tank 300-600 mm
improves flow and
makes priming easier



FOOT VALVE / STRAINER

- Heavy duty with check valve
- Keeps suction line full of water
- Prevents debris entering pump

SUCTION SIDE (F)

- 5 2" Reinforced (as short & str)
- 6 Hose Clamp (S
- 7 2" Camlock Ty
- 8 2" Camlock Ty
- 9 Foot Valve with (Keeps line full

HOSE & PIPE SIZE GUIDE (Minimum)		
Pump Size	Suction Hose	Delivery Hose / Mainline
1" (25 mm)	25 mm (1")	25 mm (1")
2" (50 mm)	50 mm (2")	50 mm (2")
3" (75 mm)	75 mm (3")	75 mm (3")

CAMLOCK TYPE GUIDE



TYPE A
(PLUG)

TYPE E
(SOCKET)

TYPE C
(HOSE SHANK)



Shop live events

Discover exclusive drops and deals

[See what's live](#)

People who viewed this item also viewed

Tickners GT856 8ft x 5ft x 6.5ft Ramped Tailgate Box
Van Trailer Door Go-cart

Business
£2,050.00
+ delivery
Sponsored

Cage Trailer 8x4 Twin Axle Unbraked 750kg Car Trailer
ALKO Suspension

Business
£1,480.00
+ £499.99 delivery

1 WATCHED TODAY

↶ ↷ 46 ❤

Cage Trailer 8x4 Twin Axle Unbraked 750kg
Car Trailer ALKO Suspension LED lights

WYCHAVON TRAILERS SHOP
(10939)
Business ⓘ

100% positiveSeller's other items Message

£1,570.00

£1,522.90 with coupon code [Price details](#)

£81.37/month for 24 months at 21.9% APR with Klarna
18+, TC apply, Credit subject to status.

Condition: New ⓘ

Quantity: 2 available



**£1,522.90 after applying discount at
checkout. Show coupon code**
Ends 31 Dec • Max £50.00

[See details](#)



It's free to sell on eBay

Buy It Now

We use cookies and other technologies that are essential to provide you our services and site functionality, as described in our [Cookie Notice](#). If you agree and click 'Accept all', we will also allow 24 third-party companies, who we partner with, to store cookies on your device and use similar technologies to collect and use your personal data (e.g., IP address) for advertising personalisation, measurement and analytics, on and off our sites. You may decline consent by clicking 'Decline all' or make granular choices by clicking 'Customise my choices'. You may withdraw your consent at any time by visiting <https://www.ebay.co.uk/gdpr>

Data processing purposes: Store and/or access information on a device. Personalised advertising, advertising measurement, audience research and services development.

Accept all Decline all Customise my choices

Option 3 – Tandem Axle Trailer (Best if Fully Loaded)

A full 1000 L IBC weighs approximately:

Water: 1000 kg

IBC: 60–70 kg

Pump: 25–35 kg

Fuel, hoses, fittings: 30–60 kg

Total: about 1,120–1,170 kg

A tandem axle trailer with a 2,000 kg or greater ATM/GVM rating provides a comfortable safety margin and better stability, especially over rough paddocks or when towing at road speeds.

Best Overall Design

For a versatile and efficient setup:

1000 L IBC tank on a sturdy stand (raising it 300–600 mm helps maintain a flooded suction)

2" IBC outlet with adapter

2" reinforced suction hose with a strainer/foot valve

2" petrol centrifugal water pump (6.5–7 HP)

Pressure hose to a manifold with ball valves

120-mesh filter if using drip irrigation

Quick-connect Camlock fittings throughout for easy assembly and maintenance

25–32 mm poly mainline feeding sprinklers, hoses, or drip zones as needed

This design offers strong flow for sprinklers and hose use while remaining adaptable for future expansion into drip irrigation. If your IBC is elevated slightly above the pump inlet, the pump will also prime more easily and experience less strain.

2000 Litre Agricultural Highway Water Bowser with Trough



SKU **TE2000HAT**

Available Options (Prices ex. VAT)

Colour

Hitch Attachment

Choose an Option...

Important Delivery Information *

- ☐ I confirm I have the necessary equipment to unload the tank from the delivery vehicle *

We also recommend...

- ☐  Forklift Extensions 1200mm Length 3000kg Capacity
£352.00 ex. VAT
[More Info](#)

AS LOW AS

£4,655.55 ex. VAT

£5,586.66 inc. VAT

Pay in 3 interest-free payments on purchases from £20-£3,000 with **PayPal**. Credit option. [Learn more](#)

Delivery

Lead Time
7-10 working days

Delivery From
£300 + VAT

Exclusions apply - Click here for more details

Help us to make your shopping experience better

Clicking "Accept All" allows us to offer you the best possible shopping experience. It means we'll use cookies and similar technologies to make it easier for you to use our website, personalise content for you, continuously improve security and understand the way you use our website.

Should you choose "Reject all" only the cookies that are essential for the website's basic function will be used.

If you'd like to tailor your cookie preferences, you can click "Manage individual preferences". To read more about our cookie policy or our terms and conditions, click the relevant link below.

Accept all

Reject all

[Manage individual preferences](#)

[Terms and Conditions](#) [Privacy Policy](#)